

Tree Removal Requests

August 13, 2025

Trees and Public Greenery Committee

Portsmouth, NH

Prepared by Max Wiater

239 Colonial Dr

- 1 Eastern red cedar, fair condition, removal requested by resident, removal recommended by the City. The homeowner will expand the driveway and to minimize the impact on the mature linden, they are proposing the removal of this cedar. Cedar growth has been inhibited by the linden.





50 Colonial Dr

- 1 little-leaf linden, fair condition, removal requested and recommended by the City. A storm cause the failure of a main leader of the tree. This resulted in a significant wound that is located below most of the tree's overall canopy and is a structural defect that increases the likelihood of failure.





16 Barberry Ln

- 1 black cherry fair condition, removal requested by resident, removal recommended by the City. After the ash tree removal this tree is more exposed and is top-heavy with a bit of lean. The tree also appears stressed and declining slightly.



Russell St

- 4 pin oak, poor condition, removal requested and recommended by the City. Three of the four trees are covered in galls that girdle branches. Broken and removed leaders, deadwood, and low vigor also present on these trees.







Deer St at Russell St

- 1 Bradford pear, poor condition, removal requested and recommended by the City. This tree, along with the other pear trees on this road, are significantly declined and likely impacted by fungal disease and environmental stress. This tree needs to be removed to facilitate the intersection reconfiguration that will coincide with the other construction on Deer and Russell St.



828 Woodbury Ave

- 1 Bradford pear, poor condition, removal requested by resident, removal recommended by the City. The tree has steadily declined due to fungal disease.



Cater Park

- 1 boxelder, fair condition, removal requested and recommended by the City. The boxelder are typically weak-wooded and is not suitable to be next to the playground. Multiple stems is a structural defect that increases the likelihood of tree failure.





Lincoln Ave at McNabb Ct

- 2 Norway maple, poor condition, removal requested and recommended by the City. Both trees have declined significantly likely due to environmental stress.



600 Kearsarge Rd

- 1 Silver maple, good condition, removal requested by resident. The resident claims the tree is a nuisance by producing an abundance of litter, the roots are impacting the lawn, ruining the integrity of the property, and is too large for the location.



196 South St

- 1 little-leaf linden, fair condition, removal requested by resident, removal recommended by the City. This tree is not appropriate for this site. The vigorous and low-growing habit of the tree will always be at odds with site requirements. Street and structure clearance is a challenge.



City Hall, lower parking lot

- 1 Norway spruce, poor condition, removal requested by resident, removal recommended by the City. The tree is exhibiting signs of fungal needle cast.

